Naval Operating Base Dutch Harbor & Fort Mears HABS No. AK-34_T Mount Ballyhoo Garrison Barracks Unalaska (Island), Aleutian Islands Division Alaska

> HABS AK, I-UNAK, 2-T-

PHOTOGRAPHS WRITTEN HISTORICAL AND DESCRIPTIVE DATA REDUCED COPIES OF MEASURED DRAWINGS

ADDENDUM FOLLOWS...

Historic American Buildings Survey National Park Service Department of the Interior Washington, DC 20013-7127 Form 10-920 (June 1983)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

HABS AK, I-UNAK, 2-T-

July 9, 1986

ARCHITECTURAL DATA FORM

ALASKA ALEXTIAN ISLANDS DIVISION HISTORIC NAME OF STRUCTURE (INCLUDE SQURCE FOR NAME) Naval Operating Base Dutch Harbor & Fort Mears (NHL) SECONDARY OR COMMON NAMES OF STRUCTURE Mount Ballyhoo Garrison Barracks COMPLETE ADDRESS (DESCRIBE LOCATION FOR RURAL SITES) Unalaska Island, Fort Schwatka, Mount Ballyhoo, Fort Mears Garrison #3 DATE OF CONSTRUCTION (INCLUDE SOURCE) 1942 (Thompson) SIGNIFICANCE (ARCHITECTURAL AND HISTORICAL, INCLUDE ORIGINAL USE OF STRUCTURE) Built to conform to Standard Constructing Quartermaster plans for mobilization—type infantry garrisons, the wood frame buildings were closely spaced, the barracks havin; stories and others one story. This type was probably chosen because of the small amount and available. See HABS No. AK-34 STYLE (IF APPROPRIATE) STALE (IF APPROPRIATE) SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE) see drawings EXTERIOR FEATURES OF NOTE INTERIOR FEATURES OF NOTE MAJOR ALTERATIONS AND ADDITIONS WITH DATES	g two- unt of
Naval Operating Base Dutch Harbor & Fort Mears (NHL) SECONDARY OR COMMON NAMES OF STRUCTURE Mount Ballyhoo Carrison Barracks COMPLETE ADDRESS (DESCRIBE LOCATION FOR RURAL SITES) Unalaska Island, Fort Schwatka, Mount Ballyhoo, Fort Mears Garrison #3 DATE OF CONSTRUCTION (INCLUDE SOURCE) 1942 (Thompson) ARCHITECT(S) (INCLUDE SOURCE) U.S. Army (USN,BY&D,Contract) SIGNIFICANCE (ARCHITECTURAL AND HISTORICAL, INCLUDE ORIGINAL USE OF STRUCTURE) Built to conform to Standard Constructing Quartermaster plans for mobilization—type infantry garrisons, the wood frame buildings were closely spaced, the barracks havin, stories and others one story. This type was probably chosen because of the small amount and available. See HABS No. AK-34 STYLE (IF APPROPRIATE) standard military MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) wood frame SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE) see drawings EXTERIOR FEATURES OF NOTE	g two- unt of
SECONDARY OR COMMON NAMES OF STRUCTURE Mount Ballyhoo Garrison Barracks COMPLETE ADDRESS (DESCRIBE LOCATION FOR RURAL SITES) Unalaska Island, Fort Schwatka, Mount Ballyhoo, Fort Mears Garrison #3 DATE OF CONSTRUCTION (INCLUDE SOURCE) 1942 (Thompson) ARCHITECT(S) (INCLUDE SOURCE) U.S. Army (USN, BY&D, Contract) SIGNIFICANCE (ARCHITECTURAL AND HISTORICAL, INCLUDE ORIGINAL USE OF STRUCTURE) Built to conform to Standard Constructing Quartermaster plans for mobilization-type infantry garrisons, the wood frame buildings were closely spaced, the barracks having stories and others one story. This type was probably chosen because of the small amount available. See HABS No. AK-34 STYLE (IF APPROPRIATE) standard military. MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) wood frame SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE) see drawings EXTERIOR FEATURES OF NOTE	g two- unt of
Mount Ballyhoo Garrison Barracks COMPLETE ADDRESS (DESCRIBE LOCATION FOR RURAL SITES) Unalaska Island, Fort Schwatka, Mount Ballyhoo, Fort Mears Garrison #3 DATE OF CONSTRUCTION (INCLUDE SOURCE) 1942 (Thompson) SIGNIFICANCE (ARCHITECTURAL AND HISTORICAL, INCLUDE ORIGINAL USE OF STRUCTURE) Built to conform to Standard Constructing Quartermaster plans for mobilization-type infantry garrisons, the wood frame buildings were closely spaced, the barracks having stories and others one story. This type was probably chosen because of the small amout and available. See HABS No. AK-34. STYLE (IF APPROPRIATE) standard military MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) wood frame SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE) see drawings EXTERIOR FEATURES OF NOTE	g two- unt of
COMPLETE ADDRESS (DESCRIBE LOCATION FOR RURAL SITES) Unalaska Island, Fort Schwatka, Mount Ballyhoo, Fort Mears Garrison #3 DATE OF CONSTRUCTION (INCLUDE SOURCE) 1942 (Thompson) ARCHITECT(S) (INCLUDE SOURCE) U.S. Army (USN,BY&D,Contract) SIGNIFICANCE (ARCHITECTURAL AND HISTORICAL, INCLUDE ORIGINAL USE OF STRUCTURE) Built to conform to Standard Constructing Quartermaster plans for mobilization-type infantry garrisons, the wood frame buildings were closely spaced, the barracks having stories and others one story. This type was probably chosen because of the small amost Island available. See HABS No. AK-34 STYLE (IF APPROPRIATE) standard military. MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) wood frame SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE) see drawings EXTERIOR FEATURES OF NOTE INTERIOR FEATURES OF NOTE	g two- unt of
Unalaska Island, Fort Schwatka, Mount Ballyhoo, Fort Mears Garrison #3 DATE OF CONSTRUCTION (INCLUDE SOURCE) 1942 (Thompson) SIGNIFICANCE (ARCHITECTURAL AND HISTORICAL, INCLUDE ORIGINAL USE OF STRUCTURE) Built to conform to Standard Constructing Quartermaster plans for mobilization-type infantry garrisons, the wood frame buildings were closely spaced, the barracks having stories and others one story. This type was probably chosen because of the small amount and available. See HABS No. AK-34 STYLE (IF APPROPRIATE) standard military. MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) wood frame SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE) see drawings EXTERIOR FEATURES OF NOTE	g two- unt of
SIGNIFICANCE (ARCHITECTURAL AND HISTORICAL, INCLUDE ORIGINAL USE OF STRUCTURE) Built to conform to Standard Constructing Quartermaster plans for mobilization—type infantry garrisons, the wood frame buildings were closely spaced, the barracks having stories and others one story. This type was probably chosen because of the small amountand available. See HABS No. AK-34 STYLE (IF APPROPRIATE) standard military MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) wood frame SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE) see drawings EXTERIOR FEATURES OF NOTE INTERIOR FEATURES OF NOTE	g two- unt of
SIGNIFICANCE (ARCHITECTURAL AND HISTORICAL, INCLUDE ORIGINAL USE OF STRUCTURE) Built to conform to Standard Constructing Quartermaster plans for mobilization—type infantry garrisons, the wood frame buildings were closely spaced, the barracks having stories and others one story. This type was probably chosen because of the small amount and available. See HABS No. AK-34 STYLE (IF APPROPRIATE) standard military MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) wood frame SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE) see drawings EXTERIOR FEATURES OF NOTE INTERIOR FEATURES OF NOTE	g two-
Built to conform to Standard Constructing Quartermaster plans for mobilization-type infantry garrisons, the wood frame buildings were closely spaced, the barracks having stories and others one story. This type was probably chosen because of the small amount and available. See HABS No. AK-34. STYLE (IF APPROPRIATE) standard military. MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) wood frame SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE) see drawings EXTERIOR FEATURES OF NOTE INTERIOR FEATURES OF NOTE (DESCRIBE FLOOR PLANS, IF NOT SKETCHED)	g two-
MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) wood frame SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE) see drawings EXTERIOR FEATURES OF NOTE INTERIOR FEATURES OF NOTE (DESCRIBE FLOOR PLANS, IF NOT SKETCHED)	
MATERIAL OF CONSTRUCTION (INCLUDE STRUCTURAL SYSTEMS) wood frame SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE) see drawings EXTERIOR FEATURES OF NOTE INTERIOR FEATURES OF NOTE (DESCRIBE FLOOR PLANS, IF NOT SKETCHED)	
SHAPE AND DIMENSIONS OF STRUCTURE (SKETCHED FLOOR PLANS ON SEPARATE PAGES ARE ACCEPTABLE) see drawings EXTERIOR FEATURES OF NOTE INTERIOR FEATURES OF NOTE (DESCRIBE FLOOR PLANS, IF NOT SKETCHED)	
SEE drawingS EXTERIOR FEATURES OF NOTE INTERIOR FEATURES OF NOTE (DESCRIBE FLOOR PLANS, IF NOT SKETCHED)	
SEE drawingS EXTERIOR FEATURES OF NOTE INTERIOR FEATURES OF NOTE (DESCRIBE FLOOR PLANS, IF NOT SKETCHED)	
EXTERIOR FEATURES OF NOTE INTERIOR FEATURES OF NOTE (DESCRIBE FLOOR PLANS, IF NOT SKETCHED)	
INTERIOR FEATURES OF NOTE (DESCRIBE FLOOR PLANS, IF NOT SKETCHED)	
MAJOR ALTERATIONS AND ADDITIONS WITH DATES	
MAJON ALIENATIONS AND ADDITIONS WITH DATES	
Deterioration began in 1952 when the army abandoned and surplused Fort Mears.	
PRESENT CONDITION AND USE	
OTHER INFORMATION AS APPROPRIATE Within Naval Operating Base Dutch Harbor & Fort Mears National Historic Landmark site Defense Environmental Restoration Account, Army Corp of Engineers, Department of Defe	
SOURCES OF INFORMATION (INCLUDING LISTING ON NATIONAL REGISTER, STATE REGISTERS, ETC.) NHL; See Bibliography HABS No. AK-34.	
COMPILER, AFFILIATION Conduct M. Faulth and Historian National Bank Convice Luly 9, 1986	

Sandra M. Faulkner, Historian, National Park Service

ADDENDUM TO
NAVAL OPERATING BASE DUTCH HARBOR & FORT MEARS,
MOUNT BALLYHOO GARRISON BARRACKS
Unalaska
Aleutian Islands
Alaska

HABS NO. AK-34-T HABS I-UNAK, 2-T-

XEROGRAPHIC COPIES OF COLOR TRANSPARENCIES

HISTORIC AMERICAN BUILDINGS SURVEY
National Park Service
U.S. Department of the Interior
Washington, D.C. 20013